
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Domestic wool: Weekly average prices at Boston, 1938 (Cents per pound) Scoured basis

| Jan. 8 | ended | |
|--------|--|-----------------------|
| 80.0 | Fine: Fine: 1/2 blood: 3/8 blood: 1/4 blood: Low combing: combing: combing: combing: 1/4 blood: (Staple): | : 611 a 70 |
| 71.0 | Fine 1 | 201 |
| 71.5 | /2 blood : combing : | emi-bright |
| 60.5 | 3/8 blood: | Semi-bright fleece 1/ |
| 55.0 | 1/2 blood :3/8 blood:1/4 blood: Low : Fine : Fine : Fine : combing : combing :1/4 blood:combing :Clothing : : | |
| 54.0 | Tow Tow | |
| 80.0 | Fine : combing : combine : (Delaine) | |
| 71.0 | Fine lothing | |
| 71.5 | : 64's, 70's, 80's :58's, 60's: 56's :48's, 50's: 46's :36's, 40 \$1.56's 1/2 blood : 2/8 blood:1/4 blood: Low : 44's 1/2 blood:combing : combing : combing : 1/4 blood:Common & : (Delaine) | Bright |
| 60.5 | 56's 3/8 blood: combing: | Bright fleece 2/ |
| 55.0 | 1/4 blood combing | |
| 54.0 | Low 1/4 blood | |
| 51.0 | Common & | |
| , | St. St. Depa | N |

| July 2 L/ Woo | | | | | June | | | | May | | | | | ror. | | | | lar. | | | | eb. | | | | an. |
|-----------------|------|--------|------|-------|------|------|-------|-------|------|-------|------|------|-------|-------|------|---------|---------|------|------|------|------|------|------|------|------|------|
| cols t | | 22 | 18 | 11 | # | 82 | 21 | 14 | 7 | 30 | 23 | 16 | 9 | N | 26 | 19 1 | 12 | J | 95 | 19 | 12 | J | 29 | 22 | 15 | 20 |
| hat are som | 0 | 27.75 | 64.5 | 64.5 | 64.5 | 66.5 | 66.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 71.5 | 71.5 | 71.5 | 73.5 | 79.5 | 80.0 | 80.0 | 80.0 |
| 59.5 | 20.0 | 59.0 | 59.0 | 59.0 | 59.0 | 60.5 | 60.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 63.5 | 63.5 | 63.5 | 65.0 | 69.5 | 71.0 | 71.0 | 71.0 |
| 0 | 0 | Q. | QQ. | .58.5 | 58.5 | 60.0 | 61.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 65.5 | 65.5 | 65.5 | 66.5 | 69.5 | 71.5 | 71.5 | 71.5 |
| | 1-0 | 17 0 | 46.5 | 46.5 | 46.5 | 16.5 | 18.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 52.5 | 54.0 | 54.0 | 57.0 | 57.0 | 58.5 | 60.5 | 60.5 |
| 47.0 | | E 1 | 43.0 | | 43.0 | 43.0 | 744.5 | 17.0 | 47.0 | 47.0 | 0.04 | 16.0 | 0.04 | 0.04 | 0.04 | 16.0 | 16.0 | 0.94 | 18.0 | | 18.5 | | 52.0 | 54.0 | 55.0 | 55.0 |
| 46.0 | | | • | 42.0 | 42.0 | 42.0 | | 45.0 | | 45.0 | 0.44 | 0.44 | 0.44 | 0.114 | 0.44 | 0.11 | 0 · ith | | 45.5 | | 46.5 | | 49.5 | 51.5 | 54.0 | 54.0 |
| 66.0 | | 77 | • | 64.5 | 5.40 | 66.5 | 66.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 71.5 | | 71.5 | | 79.5 | | | 80.0 |
| 59.5 | 1100 | 59.0 | 59.0 | 59.0 | 59.0 | 60.5 | 60.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 63.5 | 63.5 | 63.5 | 65.0 | 69.5 | 71.0 | 71.0 | 71.0 |
| 60.5 | 1000 | ת מ | 58.5 | 58.5 | 58.5 | 60.0 | 61.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 65.5 | 65.5 | 65.5 | 66.5 | 69.5 | 71.5 | | 71.5 |
| 4.64 | 1 | 47.0 | 46.5 | 46.5 | 16.5 | 46.5 | 18.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | | 54.0 | 54.0 | 57.0 | | 58.5 | | 60.5 |
| 0.74 | | 0.44 | 43.0 | 43.0 | 43.0 | 43.0 | 5.44 | 47.0 | 47.0 | 117.0 | 0.94 | 0.04 | 0.94 | 0.04 | 0.64 | 0.94 | 0.04 | 0.04 | 18.0 | 18.5 | 18.5 | 52.0 | 52.0 | 54.0 | 55.0 | 55.0 |
| 46.0 | | • | 42.0 | 42.0 | | 12.0 | | 145.0 | μ5.0 | 15.0 | 0.44 | 0.44 | 0.1th | 14 O | 0.tr | рт. O | 0.14 | 144 | 45.5 | 46.5 | 46.5 | 49.5 | 19.5 | 51.5 | 54.0 | 54.0 |
| n-7-0 n-0+0 0-1 | 5 | 40.5 | 40.5 | 40.5 | 40.5 | 40.5 | 41.5 | 42.0 | 12.0 | 12.0 | 42.0 | 42.0 | 42.0 | 12.0 | 12.0 | H2.0 | 42.0 | 12.0 | 0.44 | 45.0 | 45.0 | 47.5 | 47.5 | 19.5 | 51.0 | 51.0 |

U. S. Department of Agriculture.

RECEIVED NOV 25 1943 * partment of Agricuture

Bureau of Agricultural Economics,

Domestic wool: Weekly average prices at Boston, 1938 (Cents per pound) Scoured basis

> RECEIVED BRARY

| | 0 - h | land area | n the farm | wools grown i | of the | Nearly all | 9 I | naco | moderate | olor and of | dark in co | re somewhat | s that | 1/ Wool |
|-------------------------------|------------|-----------|-------------|---------------|----------|------------|------------|-----------|-------------|-------------|--------------|-------------|----------|---------|
| | 51.0 | 53.0 | 54.5 | 9 | 65.5 | 64.5 | | 51.5 | 54.5 | 9 | 64.0 | 63.5 | 70.0 | 31 |
| | 51.0 | 53.0 | 54.5 | 9 | 65.5 | 64.5 | | 51.5 | 54.5 | 9. | 54.0 | 63.5 | 70.0 | 24 |
| | 51.0 | 53.0 | 56.0 | 0 | 65.5 | 64.5 | | 51.5 | 54.5 | 9. | 64.0 | 63.5 | 70.0 | 1,7 |
| | 51.0 | 53.0 | 56.0 | 0 | 65.5 | 67.5 | | 51.5 | 54.5 | 9. | 65.0 | 65.0 | 71.0 | 10 |
| | 51.0 | 53.0 | 56.0 | 60.5 | 65.5 | 67.5 | | 51.5 | 54.5 | 9. | 65.5 | 65.0 | 71.0 | Dec. 3 |
| | 51.0 | 53.0 | 56.5 | - | 65.5 | 67.5 | | 51.5 | 54.5 | 9. | 65.5 | 66.5 | 71.0 | 26 |
| | 51.0 | 53.0 | 56.5 | 61.0 | 65.5 | 67.5 | 74.0 | 51.5 | 54.5 | 59.5 | 65.5 | 66.5 | 71.0 | 19 |
| | 51.0 | 53.0 | 56.5 | - | 65.5 | 67.5 | | 51.5 | 54.5 | 9. | 65.5 | 66.5 | 71.0 | 12 |
| Bu: | 51.0 | 53.0 | 56.5 | 60.5 | 65.5 | 67.5 | | 51.5 | 54.5 | 9. | 64.0 | 66.5 | 71.0 | Nov. 5 |
| | 19.0 | 53.0 | 55.0 | 0 | 65.5 | 66.0 | | 51.5 | 54.5 | 9. | 64.0 | 65.5 | 71.0 | 29 |
| | 49.0 | 53.0 | 55.0 | 9 | 65.5 | 63.5 | | 51.5 | 53.5 | 00 | 64.0 | 64.5 | 71.0 | 22 |
| | 47.0 | 51.5 | 54.5 | OQ. | 65.5 | 63.5 | | 51.5 | 53.5 | 00 | 64.0 | 64.5 | 71.0 | 15 |
| | 47.0 | 51.5 | 54.5 | 90 | 65.5 | 63.5 | | 51.5 | 53.5 | 00 | 63.0 | 62.5 | 69.0 | 00 |
| | 47.0 | 51.5 | 54.0 | OQ. | 66.5 | 63.5 | | 51.5 | 53.0 | 00 | 64.5 | 62.5 | 71.0 | Oct. 1 |
| | 47.0 | 51.5 | 54.0 | 00 | 66.5 | 63.5 | | 51.5 | 53.0 | 00 | 64.5 | 62.5 | 71.0 | 24 |
| | 47.0 | 51.5 | 54.0 | 00 | 66.5 | 63.5 | | 51.5 | 53.0 | 00 | 64.5 | 62.5 | 71.0 | 17 |
| | 47.0 | 51.5 | 54.0 | 00 | 66.5 | 63.5 | | 51.5 | 53.0 | 00 | 64.5 | 62.5 | 71.0 | 10 |
| | 47.0 | 51.5 | 54.0 | 00 | 66.5 | 63.5 | | 51.5 | 53.0 | 00 | 64.5 | 62.5 | 71.0 | Sect. 3 |
| | 47.0 | 51.5 | 54.0 | .05 | 66.5 | 63.5 | | 51.5 | 53.0 | 00 | 64.5 | 62.5 | 71.0 | 27 |
| | 17.0 | 51.5 | 56.0 | 9 | 66.5 | 63.5 | | 51.5 | 53.0 | 5 | 64.5 | 62.5 | 71.0 | 20 |
| | 47.0 | 51.5 | 56.0 | 9 | 67.5 | 65.0 | | 51.5 | 54.5 | 9. | 64.5 | 64.0 | 71.0 | 13 |
| | 47.0 | 51.5 | 56.0 | 9. | 67.5 | 65.0 | | 51.5 | 54.5 | 9. | 64.5 | 64.0 | 71.0 | |
| | 47.0 | 51.5 | 56.0 | 0 | 67.5 | 65.0 | | | 54.5 | 9. | 64.5 | 64.0 | 71.0 | |
| | 46.0 | 0.64 | 55.5 | 9. | 67.5 | 65.0 | | 0.04 | 53.0 | 56.0 | 63.0 | 63.5 | 69.5 | 23 |
| , | D.6.0 | 19.0 | 52.5 | 0 | 64.5 | 64.0 | | | 51.5 | + | 63.0 | 63.5 | | 1 |
| | 0.44 | 47.0 | 0.84 | 0 | 63.0 | 62.5 | | 47.0 | 0.84 | in | 63.0 | 62.5 | | July 9 |
| | Braid | | : Surrounce | : Suramon | Suromon. | clothing | :(Delaine) | T/4 01000 | Comping | Comorne | Suromos | clothing | (Staple) | |
| 1 | 3,44 | Low | /4 blood | 3/8 blood:1 | /2 blood | | . H.T. | | 1/4 plood | 3/8 blood | - | Fine | : Fine | ended |
| U.S. Department of Agricuture | 36's, 40's | 16's: | 8's.50's: | 56's :1 | CO |)'s, 80's | : 64's, 70 | 46's | :48's,50's: | 56's | s, 60's | 0's, 80's | 641s, 7 | Week |
| × 6461 0 7 4011 | | | | fleece 2/ | Bright | | | | | fleece 1/ | emi-bright f | v 0 | | |
| * NOV 25 10/2 | | | | | | | red pasis | acoured | - | | | | | |

1/ Wools that are somewhat dark in color and of moderately heavy shrinkage. Mearly all of the wools grown in the farm Land areas of Iowa and Missouri. 2/ Wools that are bright in color and of relatively light shrinkage. Nearly all of the wools grown in the states east of the Mississippi River are of this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennessee usually bring prices 1 to 3 cents per 1b., grease basis, above bright fleeces because of their lighter shrinkage. the Dakotas, Mebraska, Kansas and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota. Wisconsin,

.

1.9422 Reserve

Domestic wool: Weekly average prices at Boston, 1938
Scoured Basis
(Cents per pound)

LIBRARY
RECEIVED

★ NOV 25 1943 ★
U.S. Department of Agriculture

and New Mexico and in the range areas of the Dakotas, Nebraska, Kansas and Oklahoma. Territory wools cover a wide range in shrinkage, and in color. 2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle 1/ Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain states, including Arizona, district, where they are considerably darker in color and heavier in shrinkage.

. ***

Domestic wool: Weekly average prices at Boston, 1938 (Cents per pound) Scoured Basis

| , / ,,, | | 0.7 | | | Dec. | 0.3 | _ | | Nov. | 0) | D2 | _ | | Oct. | D 3 | | | Sept. | D) | 0.7 | | Aug. | 3 | N | | July | | ended | Week | | - |
|---------|------|--------|------|------|------|------|------|------|------|-------|----------|------|------|------|------------|------|------|-------|------------|------|------|------|------|------|------|------|----------------------|--------------------|----------------------------|--------------|--|
| | 31 | 45 | 17 | 10 | W | 96 | 9 | 2 | J | 9 | 22 | 5 | 00 | ۳ | 42 | .7 | 10 | W | 27 | ŏ | w | 0 | 0 | 23 | 9 | 9 | | | | | - |
| | 71.5 | 71.5 | 71.5 | 73.0 | 73.0 | 73.0 | • | | 72.0 | 72.0 | 71.5 | 71.5 | 69.0 | 70.0 | 70.0 | 70.0 | 70.0 | 71.0 | 71.0 | 71.0 | 71.5 | 71.5 | 71.5 | 69.0 | | 67.0 | staple) | | 6418, | | and the second second second |
| | 66.5 | . 06.5 | 66.5 | 68.5 | 68.5 | 69.5 | 69.5 | 69.5 | 69.0 | 68.5 | 67.5 | 67.5 | 65.0 | 64.0 | 64.0 | 64.0 | 64.0 | 65.0 | 65.0 | 65.0 | 5.5 | 66.5 | 66.5 | 65.0 | | 64.0 | combing | ine | 70's, 8 | | Section of the section of the section of |
| | 61.5 | 61.5 | 61.5 | 63.0 | 64.0 | 64.0 | 64.0 | 0.40 | 64.0 | 64.0 | 64.0 | 64.0 | 61.5 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 61.0 | 62.0 | | 62.0 | | 61.0 | Clothing | | 018 | | And the state of the same particular region in the same same same same same same same sam |
| | 67.0 | 67.0 | 67.0 | 68.0 | 68.0 | 69.0 | 69.0 | 69.0 | 67.5 | 67.5 | 67.0 | 67.0 | 64.5 | 64.0 | 64.0 | 64.0 | 64.0 | 65.0 | 65.0 | 65.0 | 66.0 | 66.5 | 66.5 | 65.0 | 64.0 | 0.40 | g comoing (staple | 1/2 510 | | | der species and respectable as the second community to the species of the second community of the seco |
| | 53.5 | 63.5 | 63.5 | 65.0 | 65.0 | 66.0 | 66.0 | 66.0 | 64.0 | 64.0 | 63.5 | 63.5 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 61.0 | 62.0 | 62.0 | | | 61.0 | combi | 1/2 610 | 58's, 60's | | Commission of the Commission of Commission of States |
| | 60.0 | 60.0 | 60.0 | 61.0 | 62.0 | 63.0 | 63.0 | 63.0 | 61.0 | .61.0 | 59.0 | 59.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 58.0 | 59.0 | 59.0 | 59.0 | 58.0 | 58.0 | ng clothing | d 1/2 blo | | Territ | Service and the Assessment Service of the Confession of the Confes |
| | | | 60.0 | | 61.0 | | 61.5 | | 61.5 | 60.5 | 9. | 59.5 | 59.0 | • | • | 59.0 | | | 59.0 | | • | | 60.5 | | | | 1 | | •• | tory 1/ | A co. gaspione gastronger regardenspellung on N |
|) | | | | | 55. | | | | | 54. | | | | | | | | | | 54 | 55 | 55 | 55. | 55 | | | . clo | d 3/8 | 56'8 | | Statement of the contract of t |
| | 0 | 0 | 0 | .0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | .0 | 0 | .0 | 0 | | | | 0 | | | thing : co | 1/1 | .84 | | AND THE PROPERTY OF THE PROPER |
| | 5 | 5 | 5 | 0 | 56.0 | 0 | 0 | 5 | 0 | 5 | .0 | 0 | 5 | ÷. | + | + | ÷. | = | + | F | 5 | 5 | 55.5 | 51 | + | 3 | mbing .1 | نشر | л ло: | | Contract of the Contract of th |
| | 54.0 | 54.0 | F | 5 | 55.0 | 5 | 5 | 5 | 5 | + | W | W | 3 | W | W | N | S | W. | W | W. | W | N | S | 53.0 | - | | /4 blood: | Low | 16's | | Market grow down opening a sixth general report opening |
| | | • | • | | 53.0 | | | • | | • | • | | 50.0 | | | • | | • | | | | • | | | 19.0 | 47.0 | and braid: | Common : | 36's, 40's: | •• | procedure deposit checy determination is personant only accompany teamers on |
| | | | | | 69.5 | | | | | | | | 65.5 | | | | | | | | | | | | | | | Combing (12 months | | Fine Te | - |
| T- M | 61.0 | - | • | | | + | 0.19 | 0.40 | 64.0 | 0.49 | 0.40 | | 61.5 | | | • | 61.0 | | | | | | 62.0 | | | | - | : (8 months | : French | xas 2/ (Orig | - |
| | | U | 15 | 1 5 | 58.0 | 00 | 9 | 9 | 9 | 9 | 9 | 9 | | 7 | -1 | ~ | -1 | -1 | 7 | 9 | 9 | 9 | 0 | 00 | 7 | J | | : Clothing | | inal bags) | |
| | | | | | | | | | | | ea S. | | | | | | | | | | | | | | | | | 09 | uspartinent of Agriculture | , | 0000 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | L | Agriculture | 7 | 1 × 545 62 |

^{1/} Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain states, including Arizona, and Mew Mexico

RECEIVED * NOV 25 1943 *

and in the range areas of the Dakotas, Nebraska, Kansas, and Oklahoma. Territory wools cover a wide range in shrinkage, and in color.

2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage.

..... al estate of all a